

BYC-600

Simplified Coating Machine



**EQUIPMENT
TECHNICAL PARAMETER**

南京翰洋智能设备有限公司
NANJING HANYOO PHARMATECH CO., LTD.



BYC-600 Coating Machine



MACHINE APPLICATION

This machine is mainly used for making pellet, coating film on tablets. It can also be used for making ball shape products or granules, mixing, and polishing, etc.

Such as: chocolate polishing, peanut coating, coating sugar, adding flavor, producing pearl dumplings, and pelletizing the desiccant&aluminium hydroxide, porcelain ball making, etc.

This machine consist of main body, worm wheel box, coating pan, heating device, blower, blower, electrical equipment, etc. The transmission process that the motor drive the worm wheel and worm via triangle belt make the coating pan rotate. Then the material erithe and revolve up and down in the coating pan, so that even mixing, pelletizing and polishing can be completed well.

TECHNICAL PARAMETER

MODEL	BYC-600
Dia Sugarcoating Dish(mm)	600
Capacity(kg/time)	15
Rotation Speed (r/min)	36
Power Of Motor(KW)	0.75
Power Of Fan(KW)	0.06
Internal heating power (kw)	2
External heating power (kw)	1
Spray gun model	ST-6
Overall Size(mm)	800×600×900
Weight(kg)	85



HANYOO

翰洋科技

Add: No.380 Sanqiaogeng, Gaochun District, Nanjing, China

Tel: +86-025-5621 6295

[Http://www.hanyoopm.com](http://www.hanyoopm.com)