

DPP-120A

Flat Type Blister Packing Machine



南京翰洋智能设备有限公司

NANJING HANYOO PHARMATECH CO., LTD.





DPP-120A Flat Type Blister Packing Machine



EQUIPMENT CHARACTERISTICS

- 1. PLC and servo motor traction ensure stable operation and easy operation.
- 2. The device adopts imported cursor eyes, with precise cursor alignment.
- 3. Equipped with internationally renowned brand imported touch screens and other electrical configurations, it is easy to operate and maintain. The equipment is equipped with automatic error alarms to protect the equipment. The traction length can be set through the touch screen.



- 4. The replacement of equipment molds is simple, using positioning pins. Under proficient operation, the mold replacement and debugging time should not exceed 30 minutes.
- 5. The equipment is an aluminum plastic, aluminum aluminum integrated machine, which can be packaged with aluminum plastic and aluminum products by changing molds and feeders.

TECHNICAL PARAMETER

MODEL	DPP-120A		
Output Capacity	2000-4000blister/hour		
Driving Length	30-90mm		
Max. Blister Size	120×90×20 mm		
Air Consumption	≥0.4 m³/min		
Max. Plastic Forming Film Size	(Width×Thickness) 120×(0.1-0.5)mm		
Max. Sealing Foil Size	(Width×Thickness) 120×(0.02-0.04)mm		
Voltage	220V		
Power	4.5 KW		
Weight	520 KG		
Dimension	1900×660×1730mm		



ELECTRONIC PART LIST

NO.	PART NAME	MODEL	BRAND	PRODUCER
1	Touch Screen	ST700	XIANKONG	CHINA
2	PLC		XIANKONG	CHINA
3	Proximity Switch	LJ12A3-4-J/EZ	XINLING	CHINA
4	Solid-State Relay	SSR-40DA	DELIXI	CHINA
4	Inverter	0.75KW	OURUI	CHINA
5	Air Circuit Breaker	DZ47-36	CHINT	CHINA
6	Ac Contactor	CJX2-NA11	CHINT	CHINA
7	Thermocouple	E K2M	XINHUI	CHINA
8	Intermediate Relay	MY2NJ	CHINT	CHINA
7	Transformer	JBK3-25VA	HUAYUAN	CHINA
8	Main Motor	0.75KW	TAIBANG	Taiwan



地址:江苏省南京市高淳区阳江镇三桥埂380号

电话:025-5621 6295

网址:www.hanyoopm.com