

DZH-120

Automatic Cartoning Machine



南京翰洋智能设备有限公司

NANJING HANYOO PHARMATECH CO., LTD.





DZH-120 Automatic Cartoning Machine







INTRODUCTION

The DZH-120 horizontal automatic cartoning machine is a high-tech integrated product that combines mechanical, electrical, pneumatic, and optical technologies. It is suitable for automatically cartoning blister-formed capsules, tablets, blister boards with aluminum-plastic packaging, and similar items. Its working process includes the conveyance of medicine boards or items (multiple boards at a time, adjustable), the conveyance of drug leaflets (with automatic folding up to 4 folds), automatic forming and conveying of paper boxes, simultaneous insertion



of medicine boards and folded leaflets into the paper boxes, and automatic completion of tasks such as batch printing and sealing the ends of the paper tongues. This machine can be connected in line with blister packaging machines and labeling machines to form a packaging production line (can be equipped with a hot melt glue machine).

MACHINE FEATURES

- 1. PLC automatic control, variable frequency speed regulation, internationally renowned electrical components are used.
- 2. Equipped with a human-machine interface operating system.
- 3. Automatically displays faults, box packing speed, and finished product count.
- 4. Automatically detects missing packaging or rejects for medicine boards (products) and instructions.
- 5. Stable performance, easy and understandable operation.
- 6. No suction of instructions without products, no suction of paper boxes without instructions.
- 7. When there are no products or insufficient product supply, the machine will idle without pushing products. It will automatically resume operation when the product supply is restored, and it will stop automatically if the product is not properly placed in the box.
- 8. Automatic machine stop when there are no paper boxes, and continuous absence of instructions will also trigger an automatic stop.
- 9. Convenient for changing different product specifications.
- 10. The main drive has overload protection device.
- 11. This machine can be used independently or linked with blister packaging machines, labeling machines, and other equipment to form a complete production line.



TECHNICAL PARAMETER

Item		DZH-120L		
Packing Speed		30-120box/min		
Conton	Quality Requirement	300-350g/m ²		
Carton	Size Range(L x W x H)	(70-210)mm×(30-135)mm×(20-65)mm		
	Quality Requirement	60-80g/m ²		
Leaflet	Open Size Range(L x W)	(90-300) mm× (90-200) mm		
	Folded Size Range(L x W)	(90-200) mm× (20-40) mm		
Camanana d Ain	Working Pressure	0.5-0.7mpa		
Compressed Air	Air Consumption	120-160L/min		
Power Source		380V 50HZ		
Main Motor Power		1.5kw		
Dimension (L x W x H)		3860mm×1200mm×1800mm		
Weight		About 1500kg		

ELECTRONIC PART LIST

NO.	NAME	MODEL	QTY	BRAND
1	Main Motor	1.5KW/380	1	Zhejiang Libang
2	High-Precision Encoder	GJC-83-4L-150	1	Wenzhou Yizhong Technology
3	Three-Phase Protector	XJ3-G	1	China Delixi
4	Alternating Current (Ac)	CJX2-1810	1	CHINT
5	Air Switch	NXB-63	1	CHINT
6	Emergency Stop Button	ZB2-BE102C	1	CHINT
7	Power Switch	PMC-24V050W1AA	1	Taiwan Delta
8	Touch Screen	DOP-107BV	1	Taiwan Delta




				\$407-F M-4 3.X		
NO.	NAME	MODEL	QTY	BRAND		
9	Plc (Programmable Logic Controller)	DVP-12SA2	1	Taiwan Delta		
10	Plc D/A Module	DVP-16SP	1	Taiwan Delta		
11	Frequency Converter	VFD7A5MS21ANSAA	1	Taiwan Delta		
12	Photoelectric Sensor	GTE6-N1212 1051784	3-5	Germany SICK		
13	Square Proximity Switch	TL-Q5MC1-Z	1	Japan Omron		
14	Cylindrical Proximity Switch	LJ12A3-4-Z/BX	1	Wenzhou Xinou		
15	Solenoid Valve	4V21008B	2	Taiwan AirTAC		
16	Electromagnetic Valve	VQ21A1-5G-C8-F	2	Japanese SMC		
17	Vacuum Valve	ZH20DSA-03-04-04	2	Japanese SMC		
18	Encoder	E6B2-CWZ6C	1	Japan Omron		
19	Filter Pressure Reducing Valve	GFR300-100	1	Taiwan AirTAC		
20	Active Guide Rail	HIWIN	1	Bank of Taiwan		
21	Suction Cup	ZP32 CU	1	Japanese SMC		



SAMPLE




PACKING PROCESS






WORKING DIAGRAM





SCHEMATIC DIAGRAM OF GLUE SEALING





Add:No.380 Sanqiaogeng,Gaochun District,Nanjing,China

Tel:+86-025-5621 6295

Http://www.hanyoopm.com