

KX-180L

Vertical Box Packing Machine



TECHNICAL PARAMETER


南京翰洋智能设备有限公司
NANJING HANYOO PHARMATECH CO., LTD.




ZH-180L Vertical Box Packing Machine




BOX PROCESS DIAGRAM



DRAWING REFERENCE



MACHINE DETAILS





TECHNICAL PARAMETER

MODEL	ZH-180L
Packaging Speed	60-80 boxes/min
Paper Box Size Range	Customize according to customer's cardboard box products
Paper Box Paper Requirements	300-450g/m ³
Motor Power	1.5KW
Power Type	Three-phase four-wire 380V 50Hz
Machine Noise	≤80dB
Gas Source	0.5-0.8 Mpa
Gas Consumption	120-160L/min
External Dimensions	4000mm×2000×2300mm
Machine Weight	3000Kg

MAIN CONFIGURATION LIST

No.	NAME	MOEDL	Manufacturer	QYT
1	PLC	CPIE-N30DT-D	Omron Japan	1
2	PLC expansion module	CPIE-C1F11		1
3	touch screen	NB7W-TWOOB		1
4	Frequency converter	3G3JZ-A4015		1
5	Light eye	SICK 121	SICK	1
6	electric machinery	CH-1500-10S 1.5KW	Taiwan	1
7	Dividing box	0S83-4L-180	Zhejiang Zhongli	1
8	Button	XB2	Schneider, France	3
9	Emergency stop	ZB2 BC4D		1
10	5-way relay		Jiangsu	1
11	8-way transistor			1
12	Solenoid valve	4V210-08	AirTAC	2
13	Pressure regulating valve	BFR-2000		1
14	Approaching Open Light	TL-Q5MC1	Omron Japan	2
15	sucker	VF-30	the republic of	2
16	Vacuum Sounder	ABM20-C	SMC	1
17	AC contactor	LC1E3210M5N	Schneider	1
18	Switching Mode Power	PMC-24V 050V	Delta	1
19	air switch	3P32A	Schneider	1
20	encoder	B-ZSP3806E2C	Omron	1
21	Cover shell	stainless steel	Shanghai	1



HANYOO

翰洋科技

Add:No.380 Sanqiaogeng,Gaochun District,Nanjing,China

Tel:+86-025-5621 6295

[Http://www.hanyoopm.com](http://www.hanyoopm.com)